## Tatacara menukar konfigurasi IP daripada "Static IP Address" ke "Automatic IP address" di dalam sistem pengoperasian Windows 8

1. Klik Menu Start Pilih Control Panel



## 2. Pilih dan klik Network and Sharing Center



## 3. Klik Change adapter settings



4. Pilih dan dwi-klik pada Local Area Connection.



5. Pilih dan dwi-klik Internet Protocol Version 4 (TCP/IP)

State of		
Connect using:		
🔮 JMicron PCI Eq	oress Gigabit Ethernet /	Adapter
1980		Configure
This connection uses t	the following items:	Consideration of the second se
🗹 👎 Client for Micr	rosoft Networks	
AvFw Packet	Filter Driver	
QoS Packet :	Scheduler	
File and Printe	er Sharing for Microsoft	t Networks
Internet Proto	col Version 6 (TCP/IP)	v6)
🗹 🔺 Internet Proto	col Version 4 (TCP/IP	v4)
Ink-Layer To	pology Discovery Map	per I/O Driver
	pology Discovery Res	ponder
🗹 🔺 Link-Layer To	pulogy clacuvely rica	
🗹 📥 Link-Layer To	pology clacovery ries	6
Instal	Uninstall	Properties
Install	Uninstal	Properties
Link-Layer To     Install  Description Transmission Control	Uninstall	Properties tocol. The default
Link-Layer To     Instal      Description      Transmission Contro      wide area network p	Uninstall Of Protocol/Internet Pro protocol that provides of	Properties tocol. The default
Link-Layer To     Instal      Description      Transmission Contro      wide area network p     across diverse intere	Uninstall Uninstall of Protocol/Internet Pro protocol that provides of connected networks.	Properties tocol. The default communication
Link-Layer To     Instal      Description      Transmission Contro      wide area network p     across diverse intere	Uninstall I Protocol/Internet Pro protocol that provides of connected networks.	Properties tocol. The default communication

 Pilih "Obtain an IP address automatically" dan "Obtain DNS server address automatically". Seterusnya klik OK.

eneral	Alternate Configuration					
You car this cap for the	n get IP settings assigned a bability. Otherwise, you nee appropriate IP settings.	utomatica ed to ask y	lly if your r	your ne networ	etwork : k admin	supports istrator
0	btain an IP address automa	tically		>		
- () Us	se the following IP address:	8				
IP a	ddress:		12	132	14	
Subr	net mask:					
Defa	ult gateway:		÷.	1		
0	btain DNS server address a	utomatica	lly	>		
- 🔘 Us	se the following DNS server	addresse	s:			
Pref	erred DNS server:		10	1	- 3	
Alter	mate DNS server:		•			
V	alidate settings upon exit				Adva	anced